

- > Up to 50 PPM
- > Colour MFP
- > Med/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP



There's more to Toshiba Colour than ever before.

Now you can copy, print, scan and fax with an MFP that's smaller, quieter, sleeker and faster than ever. The new e-STUDIO5055c series from Toshiba is designed to replace black and white printing with affordable full colour, while still offering high quality black and white.

Colour options to match your needs.

For all those times you want to print in colour but settle for black and white, there's the e-STUDIO5055c series. It's designed to make colour more efficient and accessible. Whether you want to spruce up a presentation with colour produced at a remarkable 25/30/35/45/50 pages per minute or print crisp, clear black and white, you'll be impressed with all that the e-STUDIO5055c series has to offer. Unique features like the e-BRIDGE Universal Print Driver, the only driver needed for multiple users, allowing you to switch between PS and PCL. It includes plug-ins so you can add features.

More compact with more impact.

Even though it's chock-full of extraordinary features, the e-STUDIO5055c series has one of the smallest footprints of any MFP in its class. So, it can be used wherever space is limited. It's lighter too, which makes it easier to ship

and move around the office. Even the noise level has been reduced with a quieter drive motor, fan motor and clutch. Best of all, none of these efficiencies affect the output. In fact, image quality is incredible thanks to a new low temperature colour toner that increases the colour gamut.



e-STUDIO™ 2555c/3055c/3555c/4555c/5055c

Your data has never been more secure.

Toshiba knows that security is a high priority for businesses today. That's why we've put leading innovation to work and developed security measures that are unsurpassed.

Wipe Technology – it's like the data was never there.

It makes perfect sense. The best way to keep your data secure is to use a method no one else has replicated. That's just what we've done at Toshiba with our proprietary Wipe Technology. The e-STUDIO5055c series offers Toshiba's proprietary Self-Encrypting Drive equipped with our Wipe Technology as well as a suite of impressive security functions to keep data protected. If the HDD is taken from the MFP and installed into another device, all of the data is automatically erased. However,

if it's taken out and then returned to the same MFP, the data is not erased and can be accessed immediately as needed. There is also an encryption key that's securely stored on the HDD.

Security taken to the next level.

Additional security features include a secure PDF encryption feature with up to 128-bit AES, IP/MAC address filtering, Role Based Access Control, an SNMPv3 protocol for enhanced security administration and an optional IPsec protocol, to name a few. In all, the features permit a security mode that complies with the extremely high security level—IEEE2600.1.

- Self Encrypting Drive
- IPsec Enabler (optional)
- Common Criteria EAL 3+
- IP Filtering
- Network Port Control
- Secure PDF
- Private Print



Benefits include a 3,200-sheet capacity (including an optional 2,000-sheet LCF), direct USB printing, and tilting display.



Manage, capture and deliver documents with simple, one-touch control, using the large 9" colour control panel.

Environmentally friendly as well as user friendly.

At Toshiba, we work hard to make certain our products minimize environmental impact. Many of our leading innovations include new ways to save energy and save the environment.

Saving energy and saving you money.

An added benefit to our new energy-saving technologies is that they save you money too. Take, for instance, our new low temperature fusing toner. Colour reproduction is improved while energy consumption is reduced. Energy consumption is reduced even further, thanks to a dramatic reduction in the power usage during sleep mode. Other ways in which Toshiba puts environmental responsibility into action include a recycling program, reduction of CO₂ emissions and the recycling of plastics. Reduction or elimination of hazardous materials such as lead and mercury enable the series to comply with environmental standards around the world. Everything together qualifies the series for Energy Star Tier 2 certification.



Print professional-looking, full-colour newsletters and brochures using an optional saddle-stitch or staple finisher.

Doing more for our planet.

From an impressive lower power consumption of 1.5 W in sleep mode to greener manufacturing, Toshiba is a recognized environmental leader. At Toshiba we're investing in programs that help both our business and yours to better reduce, reuse and recycle.



e-STUDIO5055c with
Saddle-Stitch Finisher.



e-STUDIO5055c with
Paper Feed Pedestal.



e-STUDIO5055c with
Large Capacity Feeder.



A new standard has officially been set.

Multiple functions, innumerable benefits and millions of colours have never been made more accessible. The e-STUDIO5055c series is easily integrated, customizable and solutions ready with an open platform. You'll also appreciate cloud, mobile printing and scanning along with a host of other benefits.

Easy integration

Includes flexible customization, new EFMS device management and system software upgrades by patch, cloning and F/W updates.



Open platform

Take advantage of flexible integration into solution applications, output management interface and an embedded Web browser that can be registered in templates.



Cloud, internet and mobile printing/scanning

Enjoy mobile convenience with e-BRIDGE support for new cloud computing and mobile applications as well as Internet browsing or printing from the Internet.



Universal print driver

One driver works for all users, tandem print comes standard and additional optional plug-ins can be put directly into the driver.



Impressive image quality

Low temperature colour toner increases range of colours. Other benefits include high gloss output, and easy to use colour adjustment tools.




AquaAce specialty paper support

Achieve brilliant Colour that's water, weather and fade resistant. It's like laminated paper without the lamination. Available in ledger and letter sizes. Banner printing can be done using paper up to 12" x 47".



Compact and lightweight

It has one of the smallest footprints of any comparable MFP. It's 37% lighter than before and substantially quieter.



Low power consumption

New energy saving technologies have been incorporated, resulting in reduced power consumption.



Improved serviceability

The replacement of process units is easier and can be performed without a screwdriver. Automatic detection and initialization of a new unit has been added.



High security

A unique Self Encrypting Drive (SED) includes Toshiba's proprietary Wipe Technology along with a suite of security functions that create an unequalled level of data protection.





- > Colour MFP
- > Up to 50 PPM
- > Medium/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP

Specifications

Copying Process	Indirect Electrostatic Photographic Transfer System with Internal Transfer Belt
Copying Type	LED Head Printing
Copy/Print Resolution	600 x 1200 dpi (PS Driver)
Copy/Print Speed	25/25, 30/30, 35/35, 45/45, 50/50 PPM Colour/B&W
Warm-Up Time	Approx. 27 Seconds
First Copy Out Time	e-STUDIO2555c/3055c/3555c - 6.4/8.1 Seconds B&W/Colour e-STUDIO4555c/5055c - 4.7/6.1 Seconds B&W/Colour
Max Duty Cycle	100K/150K/175K/200K/225K Copies
Multiple Copying	Up to 999 Copies
Acceptable Paper Size and Weight	Cassette: ST-R to LD (16 lb Bond - 140 lb Index) Bypass: 3.9" x 5.8" to LD (14 lb Bond - 100 lb Cover) ST-R to 12" x 47" Banner (17 lb-100 lb) PFP: ST-R to LD (16 lb Bond - 140 lb Index) LCF: LT (17 lb - 28 lb Bond)
Memory (Max)	Main Memory: 2 GB HDD: 160GB (Security SED Drive)
Reduction/Enlargement	25% to 400%
Bypass	100-Sheet "Smart" Bypass (14 lb Bond - 100 lb Cover)
Control Panel	Colour 9" LCD Touch Panel
Paper Supply	Up to 3,200-Sheet Input Capacity Standard 2 x 550-Sheet Cassettes Standard 100-Sheet Bypass Optional 1 x 550-Sheet PFP (3rd Cassette), Optional 1 x 550-Sheet Cassette (4th Cassette) for PFP Optional 1 x 2,000-Sheet LCF
Duplex	Standard Automatic Duplex Unit (16 lb Bond - 140 lb Index)
Dimensions	Approx. 23" x 25.3" x 31" (W x D x H)
Weight	Approx. 166.4 lbs.
CMYK Toner Yield	CMY: 28K, BK: 32K
Power Supply	120 V, 15 Amps
Power Consumption	Maximum 1.5 kW

Print Specifications

PDL Support	PCL6 and PostScript 3, XPS
Operating Systems	Netware 6.5, Windows XP, Vista, 7/8, Windows Server 2003, 2008, 2008R2, Citrix MetaFrame, Macintosh, Linux, UNIX, AS400, SAP
Protocol Support	IPX/SPX, TCP/IP, AppleTalk, NetBIOS Over TCP/IP, LPR/LPD, IPP, SMB, SNMP, Netware, Port 9100
Drivers	Server 2003/2008/2008R2/2012, Windows XP, Vista, 7/8, Macintosh 10.2/10.3, 10.4, 10.5, 10.6, 10.7, AS400 LPR & Port 9100, SAP R/3, Unix Filter
Connectivity	10/100/1000BaseTX Ethernet, 802.11b/g/n
Device Management	TopAccess
Certification	Windows (Vista, 7/8, 2008, 2008R2, 2012) (WHQL) Novell, HPOS (Dazell), Citrix

Scan Specifications

Scan Resolution	100 dpi, 150 dpi, 200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan Speed	73 SPM Colour/73 SPM B&W (@ 300 dpi)
File Format	TIFF, PDF, Slim PDF, Secure PDF, JPEG, XPS

Facsimile Specifications

Compatibility	Super G3
Data Compression	MH / MR / MMR /JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	33.6 Kbps
Memory Transmission	100 Jobs, 2,000 Destinations Max. 400 Destinations /Job
Scan Speed	.7 Seconds Per Page, Maximum 73 SPM

E-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder 200 Pages Per Document

Security (Standard)

Data Encryption	256 Bit AES (SED Hard Drive)
Authentication	LDAP, SMTP, Windows Server Domain, Local

Accessories (Options)

Additional Paper Options

Platen:	KA-1640PC
RADF: 100 Sheets	MR-3025
Paper Feed Pedestal (PFP): 550-Sheet Pedestal, Statement-R to Ledger	KD-1032-N
Cassette Module :550-Sheet Pedestal, Statement-R to Ledger	MY-1039
Large Capacity Feeder (LCF): 2,000-Sheet Drawer, Letter	KD-1031LT

Finishing Options

Job Separator	MJ-5006
Saddle-Stitch Finisher:	MJ-1108
Tray 1 Stack Capacity: 3,000 Sheets + 250 Sheet Stationary Tray (LT)	
Staple Capacity: 50 Sheets	
60 Pages (15 Sheets) SS Booklets	
Multi-Position Hole Punch Unit for Saddle-Stitch Finisher	MJ-6104N
Multi-Position Console Finisher:	MJ-1107
Tray 1 Stack Capacity: 2,000 Sheets (LT) + 250 Sheet Stationary Tray (LT)	
Staple Capacity: 50 Sheets	
Multi-Position Hole Punch Unit for Console Finisher	MJ-6104N
Bridge Kit Required with MJ-1108 and MJ-1107	KN-2550
Inner Finisher (e-STUDIO2555c/3055c/3555c only)	MJ-1036-N
2 Tray: 500 sheets (LT)	
Staple Capacity: 50 sheets	
Multi-Position Hole Punch Unit for Inner Finisher	MJ-6007N

Connectivity/Security Options

Fax Board	GD-1320NX
2nd Line Fax	GD-1260NA-F
Wireless LAN Adapter	GN-1060
Wireless Antenna	GN-3010
Meta Scan Enabler for e-CONNECT	GS-1010
IP Sec Enabler	GP-1080
Advanced Scanning (ReRite)	GB-1280
SharePoint Connector	GB-1440
Exchange Connector	GB-1450
Google Docs Connector	GB-1540

Miscellaneous Options

Accessible Arm Handle	KK-2550
-----------------------	---------



Corporate Office

TOSHIBA OF CANADA LIMITED
 75 Tiverton Court
 Markham, Ontario L3R 4M8
 Tel: (905) 470-3500
 Fax: (905) 470-3459

Website www.toshiba.ca

Designs and Specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 6% coverage per letter-size page. Driver and connectivity feature support varies by client/network operating system.