

TOSHIBA

e-STUDIO2329A

e-STUDIO2829A

Product brochure

- Highly reliable and robust monochrome A3 systems with speeds of 23 or 28 pages per minute.
- The e-STUDIO2329A/2829A easily integrate into networks, support mobile printing and are intuitive to use.
- Helping your organisation save valuable resources by meeting the highest environmental standards.



Benefits

All-in-one

The versatile monochrome systems e-STUDIO2329A/2829A offer print, colour scan, and copy with the option to add fax functionality. They meet all demands of a modern office environment including printing from and scan to mobile devices.

With an output speed of 23 or 28 pages per minute and up to five different paper sources these models are capable of supporting an entire workgroup. The total paper capacity of up to 1,700 sheets for A5 to A3 formats ensures smooth operation without the need to constantly refill paper trays.

Connectivity

Both systems can easily be integrated into existing networks. The standard network capability can be extended with the optional Wireless LAN module, for greater flexibility.

Various colour scan functions, such as Scan to USB, Scan to E-Mail or Scan to Folder, let you easily share and manage your electronic documents.

Ease-of-use

Installing and integrating new devices into your infrastructure can be challenging and time-consuming. Therefore, the user interface has been designed to be as intuitive as possible to ease these burdens. Logical key configuration and a clearly structured menu allow users to enjoy all the benefits right from the start.

We are aware that each company has individual needs and requirements. Therefore, the e-STUDIO2329A/2829A were designed to adjust to your demands. Thanks to a flexible configuration they offer optimal efficiency.

Benefit from the outstanding reliability and durability of these versatile systems.



Configuration

Reversing Automatic Document Feeder (RADF)



Platen Cover



Paper Feed Unit



Drawer Module



Paper Feed Pedestal



Desk

Specifications

General

Print & Copy Speed	A4: 23/28 ppm A3: 14/14 ppm
Warm-up Time	~ 15 seconds
Paper Size & Weight	Cassette: A5R-A3, 64-80 gsm Bypass: A5R-A3, 52-216 gsm
Paper Capacity	Cassette: 1x 250 sheets, Bypass: 1x 100 sheets Max. 1,700 sheets
Inner Output Tray	100-sheet capacity
Automatic Duplex	A5R-A3, 64-80 gsm
Memory	512 MB RAM
Interface	10Base-T/100Base-TX (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n)
Dimensions & Weight	575 x 540 x 402 mm (W x D x H), ~ 25.5 kg
Initial Consumables	Toner, Drum, Developer

Print

Resolution	Max. 2,400 x 600 dpi with smoothing
Page Description Language	PCL 5e & 6 and PostScript 3 ¹⁾ compatible
Supported Systems	Windows 10/8.1/7/Server 2008 SP2 (32/64 bit), Windows Server 2016/Server 2012/Server 2008 R2 SP1 (64 bit), Mac OS 10.11-10.14, Unix/Linux
Print Functions	Universal Printer Driver, Print from USB, Multiple pages per sheet, Toner save mode

Scan

Resolution	Max. 600 x 600 dpi
Scan Speed	Monochrome/Colour: 25/18 ipm (300 dpi)
Scan Modes	Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/PDF (via e-STUDIO Scan Editor)
Scan Functions	Scan templates, Scan to USB, Scan to E-Mail, TWAIN, Scan to Mobile

Copy

Resolution	Scan: 600 x 600 dpi Print: 2,400 x 600 dpi with smoothing
First Copy Output Time	~ 6.4 seconds
Zoom	Platen: 25-400%, RADF ¹⁾ : 25-400%
Copy Modes	Text, Text/Photo, Photo, Background erase
Copy Functions	Copy templates, Electronic Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode, Auto sort ²⁾

Fax¹⁾

Communication	Super G3, G3
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	6 MB Transmission/Reception
Network Fax	Driver for Windows 10/8.1/7 SP1/Server 2008 SP2 (32/64 bit), Windows Server 2016/Server 2012/Server 2008 R2 SP1 (64 bit)
Fax Functions	One-touch dialing (5 keys), Group dialing

System & Security

Device Management	TopAccess for remote administration and configuration
System Features	Internal toner recycling, Energy-saving modes
Accounting & Security	100 department codes, IP and MAC address filter, SSL support

Options

RADF	50-sheet capacity, A5R-A3, 50-104 gsm
Paper Feed Unit	1x 250-sheet capacity, A5R-A3, 64-80 gsm
Paper Feed Pedestal	1x 550-sheet capacity, A5R-A3, 64-80 gsm
Drawer Module	For Paper Feed Pedestal 550-sheet capacity, A5R-A3, 64-80 gsm
Desk	
Fax Board	
Wireless LAN Module	
PostScript Module	Including 512 MB memory
e-BRIDGE Print & Capture App	
e-BRIDGE Print & Capture Entry App	



¹⁾ Optional

²⁾ Requires RADF

About Toshiba Tec UK

Toshiba Tec UK Imaging Systems Ltd is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec UK Imaging Systems Ltd.

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone

+44 (0)843 2244944

Email

info@toshibatec.co.uk

Website

www.toshibatec.co.uk